Accugenix

ACCOUNT # _____ – _____ – _____

FOR ACCUGENIX USE ONLY

PROTEOTYPIC BACTERIAL IDENTIFICATION

TEST CODES:

MALDIBac-0
MALDIBac-1
MALDIBac-2
MALDIBac-5
MALDIBac-10

The number in each code refers to the desired turnaround time in business days from when the sample is received and meets the sample shipping requirements as stated in the Terms & Conditions.

Only bacterial samples can be submitted for proteotypic identification. For fungal samples, please contact technical support for assistance at 302-292-8888.

- For Direct Samples, both temperature and time are critical factors that will affect results.
- Samples should not be exposed to or stored at temperatures below room temperature. Ship samples at room temperature. **NO ICE PACKS!** The total time from sample inoculation to arrival at Accugenix should not exceed 48 hours. Record innoculation information for each sample submitted.
- Ethanol Extracted Samples are not time sensitive nor affected by temperature fluctuations.

When more than one colony type is present: ☐ ID DOMINANT COLONY ONLY ☐ ID ALL DISTINCT COLONY TYPES ☐ ID CIRCLED COLONY ONLY

ACCUGENIX USE ONLY			CUSTOMER SAMPLE ID	DIRECT	DATE	TIME	EXTRACT	MARKETED PRODUCTS*	SUBCULTURE REQUIRED**	TEST CODE	COMMENTS
				☐			☐	☐	☐		
				☐			☐	☐	☐		
				☐			☐	☐	☐		
				☐			☐	☐	☐		
				☐			☐	☐	☐		
				☐			☐	☐	☐		
				☐			☐	☐	☐		
				☐			☐	☐	☐		
				☐			☐	☐	☐		
				☐			☐	☐	☐		
				☐			☐	☐	☐		
				☐			☐	☐	☐		
				☐			☐	☐	☐		
				☐			☐	☐	☐		
				☐			☐	☐	☐		
				☐			☐	☐	☐		
				☐			☐	☐	☐		
				☐			☐	☐	☐		
				☐			☐	☐	☐		
				☐			☐	☐	☐		
				☐			☐	☐	☐		
				☐			☐	☐	☐		
				☐			☐	☐	☐		
				☐			☐	☐	☐		
				☐			☐	☐	☐		
				☐			☐	☐	☐		
				☐			☐	☐	☐		
				☐			☐	☐	☐		
				☐			☐	☐	☐		
				☐			☐	☐	☐		
				☐			☐	☐	☐		
				☐			☐	☐	☐		

AUTHORIZED SIGNATURE (REQUIRED) DATE